

**SHELL STRUCTURE AND
EVOLUTION OF COLLECTIVITY
ON AND AWAY
FROM THE STABILITY LINE**

**THESIS SUBMITTED FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY (SCIENCE) IN PHYSICS**

**BY
RITESH KSHETRI**

**UNIVERSITY OF CALCUTTA
KOLKATA**

2008

Contents

Preface	1
List of Publications	3
Acknowledgements	9
1 Introduction	13
2 Characterisation of Compton suppressed Clover detector for high energy (≤ 11 MeV) gamma-rays	16
2.1 Introduction	16
2.1.1 Interaction of gamma-rays with matter	16
2.1.2 Gamma-ray spectrometer	20
2.1.3 Present study	27
2.2 Experimental details	29
2.3 Results	32
2.3.1 Comparison with previous study	35
2.3.2 Gain matching	36
2.3.3 Relative full energy peak efficiency	38
2.3.4 Addback factor	38
2.3.5 Hit pattern distribution	40
2.3.6 Energy resolution	43
2.3.7 Effects of pair production	44
2.4 Discussion	47
3 High spin structure of ^{35}Cl and the $sd - fp$ shell gap	48
3.1 Introduction	48
3.2 Experimental details	51

3.3	Experimental methods and data analysis	56
3.3.1	Calibration of detectors	57
3.3.2	Placement of new transitions in the level scheme	59
3.3.3	Spin and parity measurements	59
3.3.4	Lifetime measurements	66
3.4	Experimental results	73
3.4.1	Level scheme	73
3.4.2	Lifetime measurement	83
3.5	Theoretical interpretation using Shell Model	87
3.6	Discussion	94
4	Study of neutron-rich nuclei in ^{132}Sn region	95
4.1	Introduction	95
4.2	Experimental study using ^{252}Cf source	96
4.2.1	Experimental details	97
4.2.2	Results	97
4.3	Theoretical study using the Particle Rotor Model	102
4.3.1	Motivations for study	102
4.3.2	The model	104
4.3.3	Results	109
4.4	Discussion	123
5	Summary and Conclusion	124
A	Typical electronics setup for a Clover array	127
B	Nuclear Shell Model - a short overview	131
	Bibliography	134