

Index

- accidental symmetry, 334
- adiabaticity condition, 102–105, 121–125
- adiabaticity parameter, 103, 358
- allowed approximation, 245
- anomalous magnetic moment, (*see under* magnetic moment)
- anomaly, 19–20, 39, 40, 44, 214, 397
 - cancellation and charge quantization, 20, 44
- atmospheric neutrinos, 49, 50, 86, 87, 90, 92–94, 138, 204, 225–227, 229, 239, 300, 357, 401, 403, 404
- axial anomaly, (*see* anomaly)

- baryogenesis, 395–397, 401, *see also* baryon number asymmetry
- baryon number, 40, 117, 164, 215, 217, 220, 221, 396, 397
 - asymmetry, 193, 367, 396, 397, 401, 405
 - violation, 137, 138, 195, 217, 219, 396–398
 - in the standard model, 40, 397
 - vs number of photons, 370, 371, 396, 401, 405
- beta decay, 3, 5, 21, 24, 46, 171, 219, 243–251, 281, 369, 370
 - , double, (*see* double beta decay)
 - , inverse, 85, 111, 342
 - of tritium, 46, 247–249, 291
 - with neutrino mixing, 250–251
- beta equilibrium, 405
- big bang cosmology, 359–371, 393

- biunitary transformation, 25, 76–77, 139, 399
- Bjorken scaling, 21, 38
- black hole, 137, 340, 341
 - and violation of global symmetry, 137–138, 220
- $B - L$ symmetry
 - global, 40, 45, 48, 137, 141, 145, 148–149, 151, 154–155, 157–162, 190–191, 215, 217, 278, 283, 298, 314, 315, 397, 398, 409, *see also* Majoron
 - local, 144, 163–166, 194, 195, 197–202, 206–207, 220, 221, 272, 292
- Bohr magneton, 129, 268, 348
- Bohr radius, 310
- Bose-Einstein distribution, 327, 365
- $B + L$ symmetry, 397

- Cabibbo angle, 222, 244
- Cabibbo-Kobayashi-Maskawa matrix, (*see* CKM matrix)
- Čerenkov detectors, 93, 112–115, 343
- Čerenkov effect, 93, 338
- Chandrasekhar mass, 341
- charge conjugation, 61–62, 193
- charge radius, 40, 41, 48, 257, 260, 261, 263
- charged current, 5–8, 21, 24–26, 29, 30, 32, 42, 45, 47, 78, 79, 85, 96, 97, 99, 114, 116, 118, 140, 153, 167, 168, 170, 270, 271, 288, 292, 304, 312, 313, 320, 336, 343, 350, 352, 404

- CHOOZ, 91
 CKM matrix, 6, 203, 317, *see also* quark mixing
 Wolfenstein parametrization, 222
 CNO cycle, 109, 110, 112
 complex trajectory, method of, 105
 confinement, 14
 cosmic scale factor (A), 359–362, 364–366, 368, 375, 376, 393, 395
 cosmological bound
 on neutrino decay, (*see under* neutrino decay)
 on neutrino degeneracy, 372, 374–375
 on neutrino mass, 144, 372–373, 375–380
 cosmological constant, 360, 363, 364, 371
 CP, 61, 63, 64, 66, 76, 77, 82, 83, 143, 179, 225, 237, 253, 260, 264, 268, 271, 272, 275, 290, 300, 318, 325, 330, 331
 properties of Majorana neutrinos, 63–64, 179, 237, 264, 271, 291, 300
 CP violation, 6, 7, 45, 64, 66, 72, 167, 203, 204, 231, 260, 264, 300, 312–321, 396, 398, 399
 and baryon asymmetry, 396
 Dirac phases, 314
 Majorana phases, 314–318
 CPT, 61, 64–66, 90, 187, 331, 332
 creation phase, 57, 72, 74, 77, 270, 289, 316
 critical density, 371, 379, 380
 custodial symmetry, 223, 224

 dark matter, 186, 216, 220, 221, 389–392
 Davis experiment, 107, 108, 111, 115, 116, 125, 126
 deconfinement, 387
 decoupling, 366–369, 372, 375–377, 379, 381, 385, 386, 396
 deep inelastic scattering, 21, 36–39
 deleptonization, 342
 dipole moment, 262–264, 271
 electric, 260, 268, 318
 in matter, 330, 332
 of the electron, 318–321
 magnetic, (*see* magnetic moment)
 –, transition, 264
 dipole transition
 electric, 264, 271
 magnetic, 264, 272
 Dirac field, 51, 54, 56, 57, 67, 313, 326
 Dirac mass terms, 39, 67, 69, 71, 174, 190, 198, 202, 206, 224, 279, 321, 407, 408
 Dirac matrices
 analogs for SO(10), 196
 commutation, 55
 definition, 54, 57
 representation, 56–61, 260
 chiral, 72
 Dirac, 58–61, 63, 65, 72
 Majorana, 59–61
 Dirac neutrino, 44, 48, 51, 52, 62, 66, 68, 69, 71, 81, 129, 130, 139–141, 153, 166, 172, 183, 185, 197, 207, 223, 257, 258, 260, 261, 263–265, 268, 274, 278, 307, 310, 313, 316, 347, 356, 373, 376, 377, 379, 382, 387
 as two Majorana neutrinos, 66–69, 274
 vs Majorana neutrino, (*see under* Majorana particles)
 Dirac-Majorana confusion theorem, 253–256
 dispersion relation, 322–325, 327–329, 336, 338, 339
 double beta decay, 281–287
 –, neutrinoless, (*see* neutrinoless double beta decay)
 D -parity, 193, 198, 200, 201

 electric dipole moment, (*see under* dipole moment)
 electromagnetic
 form factors of neutrinos, 40, 48, 257–264, 329
 electric, 260, 264, 265, 267, 273
 magnetic, 260, 264, 265, 267, 273
 matter induced, 329–338
 gauge invariance, 40, 148, 259, 330, 334
 vertex, 258, 264, 265, 269, 272, 304,

- 318, 332, 335, 338
 equivalence principle, 130–131, 356
- Fermi-Dirac distribution, 326, 365, 372, 374
- Fierz transformation, 8–10, 30, 98
- figure of merit, 86, 87
- flavor changing neutral current, 7, 155, 177–178, 180, 185, 214, 269, 312, 336
 absence in the standard model, 24, 25
- flavor changing processes, 119, 129, 140, 257, 303–312, 357
- flavor diagram, 152–154, 158, 159, 267, 273
- flavor states, 7, 45, 79, 81–83, 85, 86, 94, 96, 97, 99, 101, 114, 119, 129, 131, 139, 152, 177, 224, 225, 230, 232, 236, 237
- form factors
 in deep inelastic scattering, 37–39
 of nucleons, 35, 36
- four-Fermi interaction, 3, 5–11, 21, 29, 169, 244, 252, 376
- Friedman-Robertson-Walker metric, 359, 360
- galactic
 halo, 389–392
 HII regions, 371
 magnetic field, 349, 351
 rotation curves, 389, 390
- galaxy, 356, 357, 389, 391, 392
 formation, 4, 367, 382, 393–395
- gallium experiments, 111, 115–117, 125, 126
- gamma matrices, (*see* Dirac matrices)
- gauge bosons, 13–16, 18, 19, 22, 23
- gauge invariance, 14, 17, 19, 24, 164
- Gell-Mann Nishijima relation, 163
- geochemical experiments, 112, 282
- GIM suppression, 269, 305, 312, 338
- global symmetries, 12
- Goldstino, 211, 212
- Goldstone bosons, (*see* Nambu-Goldstone bosons)
- Gordon identity, 259
- grand unified theories, 144, 174, 183, 186–207, 216, 217, 221, 291, 312, 367, 396
 supersymmetric, 189, 202
- gravitational
 binding energy, 341–343, 345
 constant, 138, 360, 366, 371
 contraction, 340, 341
 density fluctuations, 382
 instability, 394
 potential, 130
- hep chain, 108, 110
- hidden sector, 213, 216
- hierarchy problem, 144, 159, 161, 162
- Higgs mechanism, 14–16, 19, 22, 43, 211, 212, 214
- Hubble parameter, 361, 377, 398, 400, 405
- Hubble time, 364
- IMB, 93, 343, 344, 355
- inflation, 363, 367, 389, 393
- isospin, 11, 12, 245
- jumping probability, 105, 120, 122, 124, 358
- K2K, 49, 50, 91
- Kamiokande, 93, 94, 108, 112, 113, 115–118, 125, 126, 343, 344, 347, 351, 355
 super-, 93, 94, 112, 113, 115
- Kamland, 49, 50, 91, 126, 132
- kaon
 decay, 7, 78, 155, 311, 312
 K^0 - \bar{K}^0 mixing, 214, 309
 K^0 - \hat{K}^0 oscillation, 78
 K_L - K_S mass difference, 171
- Klein-Gordon equation, 130
- Kurie plot, 46, 246, 247, 250, 251
- Landau-Zenner-Stueckelberg probability, (*see* jumping probability)
- L_e , L_μ , L_τ , $L_e - L_\mu$, $L_e - L_\mu - L_\tau$, (*see* lepton number symmetry, generational)
- Lee-Weinberg bound, 379

- left right symmetric model, 163–185, 191–193, 197–199, 220, 221, 266, 272, 273, 277, 287, 292–296, 308–310, 312, 319, 348, 352, 382, 386, 387
 - supersymmetric, 216, 217, 220–221
- leptogenesis, 395–401
- lepton number symmetry, 39, 52, 53, 69, 71, 140, 164, 215, 217, 220, 221, 397, *see also* $B - L$ symmetry
 - generational, 8, 69, 140, 220, 233, 234, 280, 303, 309, 407–409
 - violation in the standard model, 39, 40, 397
- level-crossing, 101, 106, 131, *see also* MSW effect
- local symmetries, 12, 13, 15, 16, 21
- long range force, 250
- LSND, 90, 402–403, 405, 408
- LSP, 215

- magnetic moment, 260
 - , anomalous, 257
 - in matter, 330, 332
 - of neutrinos, 39, 40, 48, 268, 274–280, 338, 356, 369, 386
 - and solar neutrino flux, 127–130
 - limits on, 275–277, 347–350, 388
 - , transition, 129, 130, 280, 348
- Majorana basis of mass terms, 66–69, 142, 146, 150, 274, 278, 279
- Majorana field, 53–57, 61–64, 66–68, 73, 74, 209
 - propagator, (*see under* propagator)
- Majorana mass terms, 39, 45, 69, 76, 130, 145, 146, 148, 149, 151, 153, 154, 172, 183, 190, 197, 198, 200, 202, 206, 217, 219, 291, 301, 302, 306, 314, 398, 407
- Majorana particles, 44, 45, 48, 51, 53, 54, 59–61, 66, 68, 69, 71, 73, 74, 77, 81, 142, 143, 148, 157, 164, 166, 170, 172, 176, 177, 180, 185, 191, 206, 223, 224, 257, 258, 260–262, 264, 269–273, 275, 288, 291–293, 295, 301, 310, 313, 314, 316, 329, 331, 332, 356, 376, 380, 382, 397
 - , CP properties of, (*see under* CP)
 - vs Dirac particles, 53, 60, 262, 270, 272, 314, *see also* Dirac-Majorana confusion theorem
 - vs Weyl particles, 53, 262–263
- Majoron, 45, 48, 127, 154–162, 191, 217, 282–284, 297–299, 338, 339, 346, 354, 369, 380, 382
- mass matrix, 119, 139, 142, 144, 146, 147, 150, 151, 153, 154, 167, 168, 172, 173, 176, 177, 180, 181, 184, 196, 197, 202, 203, 205–207, 218, 239, 319, 320, 339, 350, 409
- MiniBooNE, 90, 403, 410
- mirror universe, 406, 408–409
- MSW effect, 104, 131, 132, 199, 356, 357, 404, *see also* neutrino oscillation, resonant
- muon decay, 4, 8, 24, 26, 90, 170, 171, 176, 219, 251, 309
 - anomalous, 176
 - Majoronic, 155
 - radiative, 4, 140, 214, 257, 303–307
 - to $3e$, 4, 7, 175, 176, 306–309
- muonium antimuonium transition, 176, 219, 309–311, 315

- Nambu Goldstone bosons, 15, 16, 45, 48, 211, 282, 298, *see also* Majoron
- neutral current, 6–8, 23–30, 32, 33, 35, 42, 96, 99, 114, 116, 119, 127, 129, 168–170, 254, 343, 350, 386, 387, 404
 - , flavor changing, (*see* flavor changing neutral current)
- neutralino, 216, 220
- neutrino decay, 39, 46–48, 94–96, 159, 175, 177–180, 183, 338, 339, 347, 354, 355, 380–382
 - and solar neutrino puzzle, 127, 347
 - cosmological bounds, 380–385, 394, 395
 - radiative, 47, 257, 263–265, 268, 269, 271, 272, 274, 304, 305, 336–338, 352, 353
- RH, 178, 274

- neutrino mass pattern, 230, 300, 399
 - almost degenerate, 230–232, 235, 300, 357
 - inverted hierarchy, 227, 230–233, 235, 300, 357–358
 - normal hierarchy, 230, 232, 233, 235, 300, 301, 357–358
- neutrino mass, direct limits, 49, 247–253
- neutrino mixing, 39, 40, 44, 45, 47, 48, 78, 79, 81, 87, 94, 100, 104, 131, 140, 141, 147, 150, 159, 173, 177, 179, 183, 184, 198, 202–205, 222–239, 243, 251, 273–275, 290, 292, 294, 303, 305, 310–314, 316, 317, 319, 336, 355, 356, 403, 409
 - bimaximal, 225, 226, 228–231, 235, 406, 408
 - democratic, 225, 226, 229, 232
 - in matter, 99–102
 - maximal, 225–227, 232, 234
- neutrino oscillation, 39, 47, 49–50, 78–106, 119–120, 127, 129, 130, 132, 150, 226, 236, 299, 317, 322, 357, 403, 404, 406
 - experiments, 78, 79, 85–89, 403
 - in matter, 96–106, 125, 126, 131, 185, 199
 - resonant, 101–106, 120–126, 338, *see also* MSW effect
 - with unstable neutrinos, 94–96
- neutrino scattering, 41, 97, 98, 107, 160, 265, 347, 348, 368, 385, 386, 388, 400
 - off electrons, 11, 28–34, 36, 41, 97, 113, 114, 116, 118, 275–276, 342, 343, 350
 - off nucleons, 35–39
- neutrino spin, 3, 4
- neutrino-antineutrino oscillation, 318
- neutrinoless double beta decay, 45, 48–50, 164, 171, 219, 283–303, 310, 315, 317, 318
 - and neutrino mass, 299–302
 - with Majoron emission, 283–285, 295–299
- neutron-antineutron oscillation, 164
- non-renormalization theorem, 212
- nucleosynthesis, 4
 - big-bang, 129, 276, 277, 367–371, 385–388, 396, 404–406
 - r-process, 355–356, 409
- oscillation length, 80, 84, 104
- parity, 8, 10, 63, 163–165, 167, 168, 182–184, 221, 244, 283, 331
- Peccei-Quinn symmetry, 199, 202
- pep neutrinos, 108, 110, 112
- pion, 53, 90, 178, 211, 253, 368
 - decay, 46, 90, 92, 155, 219, 251–252, 311
- Planck mass, 138, 366
- Planck time, 359, 366
- plasmon, 276, 338
- PMNS matrix, 45, 225, 408, *see also* neutrino mixing
- pp chain, 108–110
- pp neutrinos, 108, 110, 112, 117
- propagator, 286, 288, 291, 294
 - and dispersion relation, 323, 324
 - for gauge bosons, 29, 98, 158, 265, 266, 288, 327, 328
 - for Majorana fermions, 57, 73–74, 288, 289
 - in thermal medium, 325–328, 332
- proton decay, 195, 199, 219, 396
- quark, 3–8, 12, 21, 23, 25, 26, 28, 39, 42, 48, 51, 64, 119, 149, 164, 171, 180, 183, 185, 187, 190, 191, 205, 214–216, 220, 223, 224, 230, 237, 238, 244, 252, 260, 312, 314, 315, 317, 318, 378
 - mass, 18, 23–26, 43, 44, 141, 166, 174, 184, 185, 190, 191, 196, 198, 200, 202–204, 214, 218, 219, 239
 - mixing, 6, 8, 25, 35, 45, 140, 172, 184, 186, 198, 203, 222–223, 233, 244, 269, 312
- quark-hadron transition, 367, 368
- quark-lepton symmetry, 42, 163, 239, 406, 407
- radiative corrections, 21, 26, 28, 190, 200, 212, 236–238

- radiochemical detectors, 111–115, 126
- recombination, 384, 393
- red-shift, 361, 363, 375, 380–383, 394, 395
- renormalizability, 11, 17, 19, 21, 39, 149, 265
- renormalizable gauge, 265, 266, 304, 329
- renormalization group, 188, 195, 198, 236
- Ricci tensor, 360
- R -parity, 215–217, 219–221, 295–297, 310
- R_ξ gauge, (*see* renormalizable gauge)

- Sakharov conditions, 396, 399
- see-saw mechanism, 44, 144, 172, 174, 177, 178, 180, 181, 183, 185, 186, 197, 200, 201, 203, 204, 206, 220, 221, 223, 224, 233, 236, 238, 274, 294, 295, 306, 397, 399, 401, 402, 407, 409
 - singular, 406–408
- sleptons, 214, 216
- SNO, 114, 116, 120, 125–127, 129, 404
- SNU, 111, 112, 115, 116
- solar neutrino, 49, 87, 90, 107–133, 226, 229, 230, 322, 357
 - detection, 36, 110–114, 116
 - puzzle, 94, 115–119, 127, 129, 131, 185, 199, 347, 350, 409
- sphalerons, 397, 398, 401
- spin-flavor oscillations, 129, 130
- squarks, 214, 216, 218, 219, 297
- standard model, 3, 4, 6, 15, 21–41, 43–47, 69, 86, 93, 94, 118, 137–139, 144, 146–149, 163, 165, 169–171, 177, 184, 186, 189, 191–193, 195, 199, 202, 203, 205, 208, 209, 212–217, 219, 220, 243, 257, 269, 277–279, 282, 287, 309, 310, 325, 332, 336, 338, 356, 359, 386, 408, 409
 - , fermion masses in the, 24–25, 152, 153
 - , global symmetries in the, 45, 52, 141, 279
 - , neutrino mass in the, 39–41, 43, 137–138
- gauge interactions, 22–26, 276
- supersymmetric, 212, 214–220, 296, 297, 310
- standard solar model, 49, 109, 110, 115–117, 157
- stellar energy loss, 156–157, 276, 277, 338, 346, 349
- sterile neutrinos, 86, 392, 393, 402–410
- strangeness, 78, *see also* kaons
- stress-energy-momentum tensor, 360
- strong interaction, 14, 21–22, 39, 78, 163, 186, 368
 - CP problem, 186, 199
- structure functions, (*see* form factors)
- sum rules, 203, 204, 238–239
- superfields, 209–213, 215, 218, 220–221
- supernova, 36, 129, 157, 172, 276, 277, 340–358, 409
 - collapse, 340–342, 345, 346, 349, 352, 356
 - , cosmological parameters from, 363
 - type-Ia, 363
 - type-II, 341
- superpotential, 210–214, 217, 221, 310
- superspace, 209
- superstring, 205, 207, 216
- supersymmetry, 202, 208–221, 296, 298, 299, 310

- tau decay, 47, 155, 219, 253
 - into three leptons, 306–309
 - radiative, 303–306
- triangle anomaly, (*see* anomaly)

- uncertainty principle, 84, 87

- W_2 boson, 167, 168, 170–172, 180, 182, 183, 185, 195, 266, 272–274, 292–296, 319–321, 348, 349, 352
- Ward identity, 40, 259
- Weinberg angle, 23, 165, 188
- Weyl spinors, 51, 53, 262–263
- WIMPs, 117
- W_L - W_R mixing, 167, 170, 171, 178, 179, 273, 287, 294, 319, 320, 348, 352
- WMAP, 363, 371, 372, 396, 405

wormhole, 137, 220	Z decay, 5, 28, 64, 161, 175, 177, 191, 269, 298, 389
W_R boson, (<i>see</i> W_2 boson)	Z_1 - Z_2 mixing, 169
Yukawa couplings, 24, 72, 139, 141, 145, 146, 148, 151, 153, 154, 157, 172, 182, 190, 195, 196, 200, 202, 203, 206, 211, 212, 223, 224, 232, 238, 277, 308, 398-400	Z_2 boson, 167-170, 195, 349, 352, 387
	Zee model, 148-150, 227-229, 272, 278, 291
	Zeldovich-Konopinsky-Mahmoud neutrino, 69
	Zino, 298, 299