

MOMENTUM AND DENSITY
DEPENDENT TWO-BODY EFFECTIVE INTERACTION :
APPLICATIONS TO NUCLEUS-NUCLEUS INTERACTION AND
NUCLEAR EQUATION OF STATE.

THESIS SUBMITTED FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY (SCIENCE)
OF THE
UNIVERSITY OF CALCUTTA

BY
DEBADES BANDYOPADHYAY
SAHA INSTITUTE OF NUCLEAR PHYSICS
CALCUTTA
NOVEMBER, 1989

CONTENTS

	Page
FOREWORD	i
CHAPTER I: General Introduction	1
CHAPTER II: Two-body effective interaction	15
1.Introduction	15
2.Proposed two-body effective interaction	16
2.1.The form of the two-body effective interaction	16
2.2.Ground state properties of symmetric nuclear matter	18
2.3.Semi-infinite nuclear matter and surface energy	21
2.4.Nucleon-nucleus potential	29
2.5.Volume symmetry energy coefficient of nuclear matter	34
Appendix A	37
Tables	39
Figure Caption and figures	41
CHAPTER III Energy dependent nucleus-nucleus potential	45
1.Introduction	45
2.Nucleus-nucleus potential models	47
2.1.Folding potentials	47
2.2.Energy density formalism	49
3.Energy dependent nucleus-nucleus interaction	53
3.1.Theory	53
3.2.Results and discussions	57
Tables	70
Figure Caption and figures	72

CHAPTER IV:Thermostatic properties of finite and infinite nuclear systems	88
1.Introduction	88
2.Occupation probability at finite temperature and the single particle potential	98
3.Thermostatic properties of asymmetric nuclear matter	103
3.1.Equation of state (EOS) : stability, Critical and phase separation temperatures	103
3.2.Equilibrium density and the temperature dependence of effective mass	107
3.3.Temperature and asymmetry dependence of incompressibility and specific heats	109
4.Limiting temperature for finite systems	114
5.Superluminosity	119
Tables	121
Figure Caption and figures	122
CHAPTER V:Summary and concluding remarks	157
REFERENCES	164
REPRINTS OF THE PUBLISHED PAPERS	